

## Publikationen 2018

- **Bauer J.M.** & Morley J.E. (2018). *The relevance of healthy diets for the prevention of frailty and cognitive impairment. Current Opinion in Clinical Nutrition & Metabolic Care*, 21(1): 1-3. doi: 10.1097/MCO.0000000000000438.
- Buckinx F., Landi F., Cesari M., Fielding R.A., Visser M., Engelke K., Maggi S., Dennison E., Al-Daghri N.M., Allepaerts S., **Bauer J.M.**, Bautmans I., Brandi M.L., Bruyère O., Cederholm T., Cerreta F., Cherubini A., Cooper C., Cruz-Jentoft A., McCloskey E., Dawson-Hughes B., Kaufman J.M., Laslop A., Petermans J., Reginster J.Y., Rizzoli R., Robinson S., Rolland Y., Rueda R., Vellas B. & Kanis J.A. (2018). The authors reply: Letter on: "Pitfalls in the measurement of muscle mass: a need for a reference standard" by Clark et al. *Journal of Cachexia Sarcopenia and Muscle*, 9(7): 1272-1274. doi:10.1002/jcsm.12387.
- Buckinx F., Landi F., Cesari M., Fielding R.A., Visser M., Engelke K., Maggi S., Dennison E., Al-Daghri N.M., Allepaerts S., **Bauer J.M.**, Bautmans I., Brandi M.L., Bruyère O., Cederholm T., Cerreta F., Cherubini A., Cooper C., Cruz-Jentoft A., McCloskey E., Dawson-Hughes B., Kaufman J.M., Laslop A., Petermans J., Reginster J.Y., Rizzoli R., Robinson S., Rolland Y., Rueda R., Vellas B., Kanis J.A. (2018). The Authors reply: "Dual energy X-ray absorptiometry: gold standard for muscle mass?" by Scafoglieri et al. *Journal of Cachexia Sarcopenia and Muscle*, 9(4): 788-790. doi: 10.1002/jcsm.12329.
- Buckinx F., Landi F., Cesari M., Fielding R.A., Visser M., Engelke K., Maggi S., Dennison E., Al-Daghri N.M., Allepaerts S., **Bauer J.M.**, Bautmans I., Brandi M.L., Bruyère O., Cederholm T., Cerreta F., Cherubini A., Cooper C., Cruz-Jentoft A., McCloskey E., Dawson-Hughes B., Kaufman J.M., Laslop A., Petermans J., Reginster J.Y., Rizzoli R., Robinson S., Rolland Y., Rueda R., Vellas B., Kanis J.A. (2018) Pitfalls in the measurement of muscle mass: a need for a reference standard. *Journal of Cachexia Sarcopenia and Muscle*, 9(2): 269-278. doi: 10.1002/jcsm.12268.
- Diegelmann M., Jansen C.P., Wahl H.W., Schilling O.K., Schnabel E.L. & **Hauer K.** (2018). Does a physical activity program in the nursing home impact on depressive symptoms? A generalized linear mixed-model approach. *Aging & Mental Health*, 22(6): 784-793. doi: 10.1080/13607863.2017.1310804
- Diegelmann M., Wahl H.-W., Schilling O.K., Jansen C.-P., Schnabel E.-L. & **Hauer K.** (2018). Understanding Depressive Symptoms of Nursing Home Residents: The Role of Frequency and Enjoyability of Expanded Competence in the Context of a Basic Competence Enhancement Intervention. *European Journal of Ageing*, 15(4), 339-348. doi.org/10.1007/s10433-017-0453-0.
- Fougère B., de Souto Barreto P., **Goisser S.**, Soriano G., Guyonnet S., Andrieu S., & Vellas B. (2018). MAPT Study Group. Red blood cell membrane omega-3 fatty acid levels and physical performance: Cross-sectional data from the MAPT study. *Clinical Nutrition*, 37(4): 1141-1144. doi: 10.1016/j.clnu.2017.04.005.
- Fougère B., Cesari M., Arai H., Woo J., Merchant R.A., Flicker L., Cherubini A., **Bauer J.M.**, Vellas B. & Morley J.E. (2018). Editorial: Involving Primary Care Health Professionals in Geriatric Assessment. *The Journal of Nutrition Health and Aging*, 22(5): 566-568. doi: 10.1007/s12603-018-1001-0.
- **Goisser S.**, Kob R., Sieber C.C. & **Bauer J.M.** (2018) Update zur Diagnose und Therapie der Sarkopenie. *Internist*. doi: 10.1007/s00108-018-0551-x. [Epub ahead of print]
- **Hauer K.** (2018). Bewertung von AAL-Ambient-Assisted-Living-Systemen bei Personen mit kognitiver Schädigung: Match vs. Mismatch (S. 89-111). In O. Bendel (Hrsg.). *Pflegeroboter*. Springer Gabler, Wiesbaden 2018.

- **Hauer K., Beurskens R.** & Becker C. (2018) Geriatrische Rehabilitation bei Patienten mit beckennaher Fraktur. In U.C. Liener, C. Becker, K. Rapp. (Hrsg.) *Weißbuch Alterstraumatologie*. Kohlhammer GmbH, Stuttgart.
- Jansen C.-P., Diegelmann M., Schilling O.K., **Werner C.**, Schnabel E.-L., Wahl H.-W. & **Hauer K.** (2018). Pushing the Boundaries: A Physical Activity Intervention Extends Sensor-Assessed Life-Space in Nursing Home Residents. *The Gerontologist*, 58(5): 979-988. doi: 10.1093/geront/gnx136.
- Hellmers S., Izadpanah B., Dasenbrock L., Diekmann R., **Bauer J.M.**, Hein A. & Fudickar S. (2018). Towards an Automated Unsupervised Mobility Assessment for Older People Based on Inertial TUG Measurements. *Sensors (Basel)*, 18(10). pii: E3310. doi: 10.3390/s18103310.
- Korn O., Buchweitz L., Rees A., Bieber G., **Werner C.** & **Hauer K.** (2018). Using Augmented Reality and Gamification to Empower Rehabilitation Activities and Elderly Persons. A Study Applying Design Thinking. Accepted for publication. In Ahram T. (ed.). *Advances in Artificial Intelligence, Software and Systems Engineering. AHFE 2018. Advances in Intelligent Systems and Computing*, vol. 787, (pp. 219-229). Cham: Springer International Publishing. doi: 10.1007/978-3-319-94229-2\_21.
- **Lemke N.**, Wiloth S., **Werner C.**, **Bauer J.M.** & **Hauer K.** (2018). Transferability and Sustainability of Motor-Cognitive Dual-Task Training in Patients with Dementia: A Randomized Controlled Trial. *Gerontology*, [Epub ahead of print]. doi: 10.1159/000490852
- Pazan F., Weiss C., Wehling M. (2018) FORTA. Correction to: The EURO-FORTA (Fit for The Aged) List: International Consensus Validation of a Clinical Tool for Improved Drug Treatment in Older People. *Drugs & Aging*, 35(7): 677. doi: 10.1007/s40266-018-0565-z.
- Power L., de van der Schueren M.A.E., Leij-Halfwerk S., **Bauer J.M.**, Clarke M., Visser M., Volkert D., Bardon L., Gibney E. & Corish C.A. (2018) MaNuEL Consortium. Development and application of a scoring system to rate malnutrition screening tools used in older adults in community and healthcare settings - A MaNuEL study. *Clinical Nutrition*. doi: 10.1016/j.clnu.2018.07.022. [Epub ahead of print].
- **Ullrich P., Werner C., Bongartz M., Kiss R., Bauer J.M. & Hauer K.** (2018). Validation of a Modified Life-Space Assessment in Multimorbid, Older Persons with Cognitive Impairment. *The Gerontologist*, gnx214, doi: 10.1093/geront/gnx214.
- Soriano G., de Barreto P.S., Rolland Y., Plessz M., **Goisser S.**, Guyonnet S., Fougère B., Vellas B., Andrieu S. & Sourdet S. (2018). Groupe DSA MAPT. Ready-meal consumption in older people: association with obesity and dietary intake. *Aging Clinical Experimental Research*. doi: 10.1007/s40520-018-1043-5. [Epub ahead of print]
- Soriano G., **Goisser S.**, Guyonnet S., Vellas B., Andrieu S. & Sourdet S. (2018). Misreporting of Energy Intake in Older People: Comparison of Two Dietary Assessment Methods. *Journal of Nutrition Gerontology and Geriatrics*, 37(3-4): 310-320. doi: 10.1080/21551197.2018.1505578.
- **Ullrich P., Eckert T., Bongartz M., Werner C., Kiss R., Bauer J.M. & Hauer K.** (2018). Life-Space Mobility in Older Persons with Cognitive Impairment after Discharge from Geriatric Rehabilitation. *Archives of Gerontology and Geriatrics*. 81:192-200. doi: 10.1016/j.archger.2018.12.007.
- **Ullrich P., Werner C., Eckert T., Bongartz M., Kiss R., Bauer J.M. & Hauer K.** Cut-off for the Life-Space Assessment in Persons with Cognitive Impairment. *Ageing Clinical and Experimental Research*. doi: 10.1007/s40520-018-1062-2. [Epub ahead of print]
- Vetrano D.L., Calderón-Larrañaga A., Marengoni A., Onder G., **Bauer J.M.**, Cesari M., Ferrucci L. & Fratiglioni L. (2018). An International Perspective on Chronic Multimorbidity: Approaching the Elephant in the Room. *Journals of Gerontology Series A: Biological Sciences and Medical Sciences*, 73(10): 1350-1356. doi: 10.1093/gerona/glx178.

- Volkert D., Beck A.M., Cederholm T., Cruz-Jentoft A., **Goisser S.**, Hooper L., Kiesswetter E., Maggio M., Raynaud-Simon A., Sieber C.C., Sobotka L., van Asselt D., Wirth R. & Bischoff SC. (2018). ESPEN guideline on clinical nutrition and hydration in geriatrics. *Clinical Nutrition*. doi: 10.1016/j.clnu.2018.05.024. [Epub ahead of print]
- **Werner C., Ullrich P.**, Geravand M., Peer A., **Bauer J.M.** & **Hauer K.** (2018). A systematic review of study results reported for the evaluation of robotic rollators from the perspective of users. *Disability and Rehabilitation: Assistive Technology*, 13(1): 31-39. doi: 10.1080/17483107.2016.1278470.
- **Werner C.**, Moustis G.P., Tzafestas C.S. & **Hauer K.** (2018). User-Oriented Evaluation of a Robotic Rollator that Provides Navigation Assistance in Frail Older Adults with and without Cognitive Impairment. *Gerontology*. 64(3):278-290. doi: 10.1159/000484663.
- **Werner C., Wiloth S., Lemke N.C., Kronbach F.** & **Hauer K.** (2018). Development and Validation of a Novel Motor-Cognitive Assessment Strategy of Compensatory Sit-to-Stand Maneuvers in People with Dementia. *Journal of Geriatric Physical Therapy*, 41(3): 143-154. doi: 10.1519/JPT.0000000000000116.
- **Werner C.**, Rosner R., **Wiloth S., Lemke N.C., Bauer J.M.** & **Hauer K.** (2018). Time course of changes in motor-cognitive exergame performances during task-specific training in patients with dementia: identification and predictors of early training response. *Journal of Neuroengineering Rehabilitation*, 15(1): 100. doi: 10.1186/s12984-018-0433-4.
- Wolters M., Volkert D., Streicher M., Kiesswetter E., Torbahn G., O'Connor E.M., O'Keeffe M., Kelly M., O'Herlihy E., O'Toole P.W., Timmons S., O'Shea E., Kearney P., van Zwienen-Pot J., Visser M., Maitre I., Van Wymelbeke V., Sulmont-Rossé C., Nagel G., Flechtner-Mors M., **Goisser S.**, Teh R. & Hebestreit A. (2018) MaNuEL consortium. *Clinical Nutrition*. doi: 10.1016/j.clnu.2018.10.020. [Epub ahead of print]
- **Zieschang T., Bauer J.M.**, Kopf D. & Rösler A. (2018). Special care units for patients with cognitive impairment: Results of a nationwide survey in geriatric hospitals in Germany. *Zeitschrift für Gerontologie und Geriatrie*. doi: 10.1007/s00391-018-1439-z. [Epub ahead of print].

## Abstract-Publikationen

- **Abel B., Pomiersky R., Bauer J. M.**, Schäufele M., Pfeiffer K. & **Hauer K.** (2018). Motorische Leistungsfähigkeit im Übergang zwischen stationärer geriatrischer Rehabilitation und dem häuslichen Umfeld bei kognitiv eingeschränkten Patienten mit Hüft- oder Beckenfraktur. *Zeitschrift für Gerontologie und Geriatrie*, 51(Suppl 1): S76. doi: 10.1007/s00391- 018- 1435-3.
- **Abel B., Pomiersky R., Bauer J. M.**, Schäufele M., Pfeiffer K. & **Hauer K.** (2018). Motor performance in the transition between inpatient geriatric rehabilitation and home environment in cognitively impaired patients after hip or pelvic fracture. *European Geriatric Medicine*, 9(Suppl 1): S139. doi: 10.1007/s41999-018-0097-4.
- **Bongartz M., Ullrich P., Eckert T., Werner C., Kiss R., Abel B., Bauer J.M., Hauer K.** (2018). Associations of motor performance and qualitative/quantitative physical activity behavior in older persons with cognitive impairment after discharge from geriatric rehabilitation. *European Geriatric Medicine*, 9(Suppl 1): S144. doi: 10.1007/s41999-018-0097-4.

- **Bongartz M., Ullrich P., Eckert T., Werner C., Kiss R., Abel B., Bauer J.M. & Hauer K.** (2018). Zusammenhänge zwischen motorischer Leistungsfähigkeit und körperlicher Alltagsaktivität bei älteren Personen mit kognitiver Einschränkung nach geriatrischer Rehabilitation. *Zeitschrift für Gerontologie und Geriatrie*, 51(Suppl 1): S128. doi: 10.1007/s00391-018-1435-3.
- **Eckert T., Kampe K. Kohler M., Albrecht D., Hauer K., Becker C. & Pfeiffer, K.** (2018). Sturzangst von geriatrischen PatientInnen mit hüftnaher Fraktur zu Beginn der stationären Rehabilitation - eine Pfadanalyse zu Zusammenhängen von psychologischen Korrelaten und motorischer Leistungsfähigkeit. *Zeitschrift für Gerontologie und Geriatrie*, 51(Suppl 1): S76. doi: 10.1007/s00391-018-1435-3.
- **Eckert T., Kampe K. Kohler M., Albrecht D., Hauer K., Becker C. & Pfeiffer K.** (2018). Fear of falling in geriatric patients recovering from hip fracture: a matter of motor performance or emotion? *European Geriatric Medicine*, 9(Suppl 1): S7. doi: 10.1007/s41999-018-0097-4.
- **Eckert T., Bongartz M., Ullrich P., Kiss R., Bauer J.M. & Hauer K.** (2018). Adherence To A Home-Based Mixed Training And Motivation Intervention In Geriatric Patients With Cognitive Impairment Following Inpatient Rehabilitation. *European Geriatric Medicine*, 9(Suppl 1): S144. doi: 10.1007/s41999-018-0097-4.
- **Eckert T., Bongartz M., Ullrich P., Kiss R., Bauer J.M. & Hauer K.** (2018). Eine Analyse der Adhärenz an einem motivationsgestützten Heimtraining bei geriatrischen Patienten mit kognitiver Einschränkung. *Zeitschrift für Gerontologie und Geriatrie*, 51(Suppl 1): S51. doi: 10.1007/s00391-018-1435-3.
- Mayer T., **Eidam A., Czock D., Kopitz J., Plaschke K., Mattern M., Bauer J.M., Haefeli W.E. & Seidling H.M.** (2018). A decision-support tool to estimate and reduce a patient's anticholinergic load - study protocol of an exploratory study. *International Journal of Clinical pharmacy*, 40: 225. doi: 10.1007/s11096-017-0565-9
- Hendlmeier I., Groß M., Gugenthaler J., **Lacroix A., Abel B., Hauer K., Pfeiffer K., Becker C. & Schäufele M.** (2018). A home-based exercise program for cognitively impaired older adults after hip-pelvis fracture guided by volunteers. *Book of Abstracts - 19th Congress of the Section of Epidemiology and Social Psychiatry P-14: S108*.
- **Hauer K., Litz E., Ball C., Jansen C., Werner C., Bauer J. M. & de Bruin E.** (2018). Validation of a motor-cognitive assessment for a stepping exergame in older adults: use of game-specific, internal data stream. *Zeitschrift für Gerontologie und Geriatrie*, 51(Suppl 1): S73. doi: 10.1007/s00391-018-1435-3.
- **Hauer K. & Ulrich P.** (2018): Fear of falling and activity avoidance are associated with life-space mobility in geriatric patients with cognitive impairment. *Zeitschrift für Gerontologie und Geriatrie*, 51(Suppl 1): S108. doi: 10.1007/s00391-018-1435-3.
- **Hauer K., Günther-Lange M. & Werner C.** (2018): Effects of a new computerized, motor-cognitive memory training in older persons. *European Geriatric Medicine*, 9(Suppl 1): S146-147. doi: 10.1007/s41999-018-0097-4.
- **Hauer K., Lemke N., Werner C. & Wiloth S.** (2018): Transferability and sustainability of effects of dual-task training in patients with dementia. *European Geriatric Medicine*, 9(Suppl 1): S248-249. doi: 10.1007/s41999-018-0097-4.
- **Hauer K., Ulrich P., Bongartz M. & Eckert T.** (2018): Fear of falling and activity avoidance is associated with life space in geriatric patients with cognitive impairment. *European Geriatric Medicine*, 9(Suppl 1): S1332. doi: 10.1007/s41999-018-0097-4.
- **Hauer K., Werner C., Wiloth S., Lemke N. & Rosner R.** (2018). Changes in Motor-Cognitive Performances During an Exergame Intervention in Persons With Dementia. *Innovation in Aging*, 2(Suppl 1): S440. doi: 10.1093/geroni/igy023.1648.

- **Hauer K. & Ulrich P.** (2018): Increasing Life-Space Mobility in Multimorbid Older Persons with Motor and Cognitive Impairment. *Innovation in Aging*, 2(Suppl 1): S313. doi: 10.1093/geroni/igy023.1145.
- **Hauer K., Bongartz M., Kiss R., Lacroix A., Ullrich P., Eckert T., Jansen C.-P. & Melone S.** (2018): Validity of Sensor-based, Habitual Physical Activity and Gait Analysis in Multimorbid, Older Persons. *Innovation in Aging*, 2(Suppl 1): S732. doi: 10.1093/geroni/igy023.2703.
- **Hauer K., Lemke N., Werner C. & Wiloth S.** (2018): Transferability and Sustainability of Effects of Dual-Task Training in Patients With Dementia. *Innovation in Aging*, 2(Suppl 1): S315. doi: 10.1093/geroni/igy023.1153.
- **Hauer K., Ulrich P. & Eckert T.** (2018): Life-Space Mobility Among Multimorbid Older Persons With Multiple Impairments Following Rehabilitation. *Innovation in Aging*, 2(Suppl 1): S 518. doi: 10.1093/geroni/igy023.1920.
- **Pomiersky R., Abel B., Dautel A. Schäufele M., Pfeiffer K., Bauer J. M. & Hauer K.** (2018). Schmerz als wichtigste Determinante der sturzassoziierten Selbstwirksamkeit nach Hüft-/Beckenfraktur in der geriatrischen Rehabilitation. *Zeitschrift für Gerontologie und Geriatrie*, 51(Suppl 1): S16. doi: 10.1007/s00391- 018- 1435-3.
- **Pomiersky R., Abel B., Dautel A. Schäufele M., Pfeiffer K., Bauer J. M. & Hauer K.** (2018). Pain as the main determinant of fall-associated self-efficacy after hip/pelvic fracture in geriatric rehabilitation. *European Geriatric Medicine*, 9(Suppl 1): S140. doi: 10.1007/s41999-018-0097-4.
- **Ullrich P., Eckert T., Bongartz M., Werner C., Kiss R., Bauer J.M. & Hauer K.** (2018). Life-space mobili-ty among multimorbid older persons with multiple impairments following rehabilitation. *European Geriatric Medicine*, 9(Suppl 1): S151. doi: 10.1007/s41999-018-0097-4.
- **Ullrich P., Eckert T., Bongartz M., Werner C., Kiss R., Bauer J.M. & Hauer K.** (2018). „Life-Space“-Mobilität geriatrischen Patienten mit motorischen und kognitiven Einschränkungen nach der Rehabilitation. *Zeitschrift für Gerontologie und Geriatrie*, 51(Suppl 1): S126. doi: 10.1007/s00391- 018- 1435-3.
- **Ullrich P., Werner C., Eckert T., Bongartz M., Kiss R., Bauer J.M. & Hauer K.** (2018). Increasing life-space mobility in multimorbid older persons with motor and cognitive impairment. *European Geriatric Medicine*, 9(Suppl 1): S7. doi: 10.1007/s41999-018-0097-4.
- **Ullrich P., Werner C., Eckert T., Bongartz M., Kiss R., Bauer J.M. & Hauer K.** (2018). Steigerung der „Life-Space“-Mobilität von älteren Personen mit kognitiven Einschränkungen nach der Rehabilitation. *Zeitschrift für Gerontologie und Geriatrie*, 51(Suppl 1): S17. doi: 10.1007/s00391- 018- 1435-3.
- **Werner C., Chalvatzaki G., Papageorgiou X.S., Tzafestas C.S., Bauer J.M. & Hauer K.** (2018). Concurrent Validity of a Mobile Sensor-Based Gait Analysis System on a Smart Walker in Older Adults with Gait Impairments. *European Geriatric Medicine*, 9(Suppl 1): S25. doi: 10.1007/s41999-018-0097-4.
- **Werner C., Rosner R., Wiloth S., Lemke N.C., Bauer J.M. & Hauer K.** (2018). Time Course of Changes in Motor-Cognitive Exergame Performance During Task-Specific Training in Patients with Dementia: Identification and Predictors of Early Training Response. *European Geriatric Medicine*, 9(Suppl 1): S251. doi: 10.1007/s41999-018-0097-4.
- **Werner C., Rosner R., Wiloth S., Lemke N.C., Bauer J.M. & Hauer K.** (2018). Veränderungen von motorisch-kognitiven Exergame-Leistungen im Verlauf eines aufgabenspezifischen Trainingsprogramms bei Menschen mit Demenz. *Zeitschrift für Gerontologie und Geriatrie*, 51(Suppl 1): S9-10. doi: 10.1007/s00391- 018- 1435-3.