

Publikationen 2010

AGAPLESION Bethanien-Krankenhaus/ Geriatrisches Zentrum an der Universität Heidelberg

Publikationen stellen einen wichtigen Beleg für die nationale und internationale Akzeptanz und Würdigung unserer Arbeit am Bethanien –Krankenhaus dar und erfüllen den wichtigen Anspruch an die Forschungsarbeit erbrachte Ergebnisse weiter zu verbreiten und für die geriatrische Arbeit nutzbar zu machen. (Mitarbeiter des Bethanien-Krankenhauses sind **markiert**)

Bahrman (ehemals Braun) **A**, **Zieschang T**, Neumann T, Hein G, **Oster P**. [Carpal tunnel syndrome in diabetes mellitus](#). *Med Clin (Munich)* 2010 Mar; 105(3): 150-4. Review. German.

Reynolds RM, Labad J, Strachan MW, **Braun A**, Fowkes FG, Lee AJ, Frier BM, Seckl JR, Walker BR, Price JF; Edinburgh Type 2 Diabetes Study (ET2DS) Investigators. [Elevated fasting plasma cortisol is associated with ischemic heart disease and its risk factors in people with type 2 diabetes: the Edinburgh type 2 diabetes study](#). *Journal of Clinical Endocrinology and Metabolism* 2010 Apr; 95(4): 1602-8..

Bahrman A, **Abel A**, Specht-Leible N, **Abel A**, **Wörz E**, **Hölscher E**, **Zieschang T**, **Oster P**, Zeyfang A. [Treatment quality in geriatric patients with diabetes mellitus in various home environments](#). *Zeitschrift für Gerontologie und Geriatrie* 2010 Dec; 43(6): 386-92. German).

Birkemeyer R, Rillig A, Treusch F, Kunze M, Meyerfeldt U, Miljak T, Kostin D, Koch A, Jung W, **Oster P**, **Bahrman A**. [Outcome and treatment quality of transfer primary percutaneous intervention in older patients with acute ST-elevation myocardial infarction \(STEMI\)](#). *Archives of Gerontology and Geriatrics* 2010 Dec 9. [Epub ahead of print].

Zeyfang A, Berndt S, Aurnhammer G, **Nikolaus T**, **Oster P**, **Bahrman A**. A short easy test can detect ability for autonomous Insulin injection by the elderly with Diabetes mellitus. *Journal of the American Medical Directors Association*. . (in press).

Zeyfang A, Dippel FW, **Bahrman A**, Bahr R, Feucht, I, Hamann O, Hodeck K. Aktuelle Versorgungssituation und Ressourcenbedarf bei insulinpflichtigen Typ-2-Diabetikern in

ambulanter und stationärer Pflege: Ergebnisse der LIVE-GERI Studie. *Diabetes und Stoffwechsel* 2010; 23: 293 ff.

Zeyfang A, **Bahrman A**, König C, Mrak P. Technologie im Dienste des Älteren. *Diabetologe* 2010; 6: 570–576.

Zeyfang A, **Bahrman A**, Wernecke J. Praxisleitlinie der Deutschen Diabetesgesellschaft: Diabetes im Alter. *Diabetes und Stoffwechsel* 2010; 5: 166-171.

Hauer K, Yardley L, Beyer N, Kempen G, Dias N, Campbell M, Becker C, Todd C: Validation of the Falls Efficacy Scale (FES) and Falls Efficacy Scale International (FES-I) in geriatric patients with and without cognitive impairment: results of self-report and interview- based questionnaires. *Gerontology* 2010; 56 (2): 190 – 199.

Schuler M, Razus D, Oster P, Hauer K. Monitoring pain therapy in geriatric patients with back and leg pain by means of pain intensity measurement during transfer from a supine to a sitting position. *Euro J Ger; 2010; 12 (1): 1-6.*

Klaus A. Hauer, Gertrudis I.J.M. Kempen, **Michael Schwenk**, Lucy Yardley, Nina Beyer, Chris Todd, **Peter Oster**, G.A. Rixt Zijlstra. Validity and Sensitivity-to-Change of the Falls Efficacy Scales International to Assess Fear of Falling in Older Adults With and Without Cognitive Impairment. *Gerontology*, published online DOI: 10.1159/000320054 (in press).

Hauer K, Wendt I, **Schwenk M**, Rohr C, **Oster P**, Greten J. Stimulation of Acupoint ST-34 Acutely Improves Gait Performance in Geriatric Patients during Rehabilitation: a randomized controlled trial. *Archives of Physical Medicine and Rehabilitation* 2011; 92 (1): 7-14.

Helen Genz, Ekkehardt Jenetzky, **Klaus Hauer**, **Peter Oster**, Mathias H.-D. Pfisterer Palliative Geriatrie: Wie unterscheiden sich onkologische von nichtonkologischen geriatrischen Palliativpatienten im Krankenhaus? *Zeitschrift für Geriatrie und Gerontologie* 2010; 43 (6): 369-375.

Hauer K, Lord S, Lindemann U, Lamb S, Aminian K, **Schwenk M.** Validation of a questionnaire to assess physical activity in sedentary frail persons with and without cognitive impairment: accelerometer-based motion sensor as gold standard. *Journal of Ageing and Physical Activity* (accepted for publication).

- Hauer K, Schwenk M, Zieschang T, Becker C, Oster P.** Effects of physical training on motor status in patients with dementia: a randomised controlled trial. (*submitted for publication*).
- Buchmann AF, **Kopf D**, Westphal S, Lederbogen F, Banaschewski T, Esser G, Schmidt MH, Zimmermann US, Laucht M, Deuschle M (2010) Impact of Early Parental Child-Rearing Behavior on Young Adults' Cardiometabolic Risk Profile: A Prospective Study. *Psychosom Med* 72(2):156-162
- Paslakis G, Luppä P, Gilles M, **Kopf D**, Hamann-Weber B, Lederbogen F, Deuschle M (2010) Venlafaxine and mirtazapine treatment lowers serum concentrations of dehydroepiandrosterone-sulfate in depressed patients remitting during the course of treatment. *J Psychiatr Res* 44(8):556-560
- Deuschle M, Angermeier T, Westphal S, Lederbogen F, Gilles M, Frankhauser P, Schilling C, Onken V, Weber-Hamann B, **Kopf D** (2010) Venlafaxine, but not mirtazapine lowers retinol-binding protein 4 serum concentrations in nondiabetic depressed patients. *Psychother Psychosom* 79(2):123-125
- Scharnholz B, Lederbogen F, Feuerhack A, Bach A, **Kopf D**, Frankhauser P, Onken V, Schilling C, Gilles M, Hamann B, Deuschle M. (2010) Does Night-Time Cortisol Excretion Normalize in the Long-Term Course of Depression? *Pharmacopsychiatry* 43(5):161-5
- Scharnholz B, Weber-Hamann B, Lederbogen F, Schilling C, Gilles M, Onken V, Frankhauser P, **Kopf D**, Deuschle M (2010) Antidepressant treatment with mirtazapine, but not venlafaxine, lowers cortisol concentrations in saliva: a randomised open trial. *Psychiatry Res* 177(1-2):109-113
- Rösler A, Hofmann W, von Renteln-Kruse W, Flesch P, Greuel HW, Hoffmann J, Hofmann W, **Kopf D**, Meyer AK, Merk B, Nehen HG, Püllen R, Schwab J, von Renteln-Kruse W, Weil K (2010) Special care units for the treatment of acutely ill, cognitively impaired geriatric patients in Germany. *Z Gerontol Geriatr* 43(4):249-253
- Paslakis G, Gilles M, Frankhauser P, Lanczik O, Deuschle M, Frolich L, Müller FH, **Kopf D**. Short Communication: Two cases of primary hyperparathyroidism with depressive and cognitive symptoms. *J Nutr Health Aging*. 2010;14(9):798-799

- Paslakis G, **Kopf D**, Westphal S, Gilles M, Lederbogen F, Hamann B, Heuser I, Deuschle M. Treatment with paroxetine, but not amitriptyline, lowers levels of lipoprotein(a) in patients with major depression. *J Psychopharmacol.* 2010 Oct 15 (*Geteilte Erstautorschaft)
- Hummel J**, Westphal S, Weber-Hamann B, Gilles M, Lederbogen F, Angermeier T, Luley C, Deuschle M, **Kopf D** (2010) Serum lipoproteins improve after successful pharmacological antidepressant treatment: a randomized prospective trial. *J Clin Psychiatry*, accepted
- Müller E**; Bartholomeyczik, S: Nachruf "Der leise Abschied einer großartigen Krankenschwester, Lehrerin und Kollegin - zum Tod von Antje Grauhan. *Die Schwester/Der Pfleger* 2010; 09 (49): 842 – 843.
- Müller E**; Bartholomeyczik, S: Nachruf zum Tod von Antje Grauhan. *Pflege. Die wissenschaftliche Zeitschrift für Pflegeberufe* 2010; 5 (23): 350 – 351.
- Knecht S, Hesse S, **Oster P**. Zurück ins Leben: Rehabilitation nach Schlaganfall. *Geladener Übersichtsartikel Deutsches Ärzteblatt* (zur Publikation eingereicht).
- Oster P**, Micol W. Rehabilitation nach Schlaganfall. In: *Wahl HW (Hrsg.), Angewandte Gerontologie*. Kohlhammer Verlag: Stuttgart (zur Publikation eingereicht).
- Oster P**, Schneider N, **Pfisterer M**. Palliative Perspektive in der Geriatrie (2010). In: *Kruse A (Hrsg.), Leben im Alter*. Akademische Verlagsgesellschaft: Heidelberg. S. 295-9.
- Penner H**, **Bur T**, Nusser-Müller-Busch R, **Oster P**. Das logopädische Vorgehen bei Dysphagien im Rahmen der Palliativmedizin. *Zeitschrift für Palliativmedizin* 2010; 11: 61-75.
- Schwenk M**, Lauenroth A, Oster P, Hauer K (2010). Effektivität von körperlichem Training zur Verbesserung motorischer Leistungen bei Patienten mit demenzieller Erkrankung. In: *Braumann KM & Stiller N (Hrsg.). Bewegungstherapie bei internistischen Erkrankungen*. Springer Verlag: Berlin, Heidelberg. S. 167-184.
- Schwenk M**. Spezifisches Training für spezifische Defizite? Motorisch-kognitives Dual-Task-Training bei Demenz. In: *Demenz - Ein unausweichliches Altersschicksal? Dokumentationsreihe der Firma Merz zur Fachtagung des Zukunftsforums Demenz*, 18.05.2010, Bonn. S.55-59.
- Schwenk M**, **Zieschang T**, **Oster P**, **Hauer K**. Dual-task performances can be improved in geriatric patients with dementia: results of a randomised controlled trial. *Neurology* 2010 June 15; 74 (24): 1961-8. (siehe auch das dazugehörige Editorial: J. Verghese & R

Holtzer. Walking the walk while talking: Cognitive therapy for mobility in dementia? *Neurology* 2010; 74 (24): 1938-9).

Schwenk M, Schmidt M, Pisterer M, **Oster P**, **Hauer K**. Rollator use adversely impacts gait and mobility assessment during geriatric rehabilitation. *Journal of Rehabilitation Medicine* (accepted).

Zieschang T, **Dutzi I**, **Müller E**, **Hestermann U**, **Grünendahl K**, **Braun AK**, **Hüger D**, **Kopf D**, **Specht-Leible N**, **Oster P**. Improving care for patients with dementia hospitalized for acute somatic illness in a specialized care unit: a feasibility study. *International Psychogeriatrics* 2010 Feb; 22(1): 139-146.

Zieschang T, **Schwenk M**, Becker C, **Oster P**, **Hauer K**. Validity and Reliability of Fall Reports in Patients with Dementia. (*submitted for publication*).

T. Zieschang, **D. Kopf**, **P. Oster** (2010): Die Geriatriisch-Internistische Station für Akuterkrankte Demenzpatienten (GISAD): Behandlung von Patienten mit herausforderndem Verhalten in einem Akutkrankenhaus. In: G. Stoppe: Die Versorgung psychisch kranker alter Menschen, Report Versorgungsforschung Band 3 (Reihenherausgeber: C. Fuchs, B.-M. Kurth, P.C. Scriba). Deutscher Ärzte-Verlag Köln, S. 205-212

Zuber H, **Oster P**. „Ein Kaffeekränzchen als Therapie“. *Ergopraxis* 2010; 8: 32-34.